

135 Joshua Court, Lincolnton, NC 28092 USA

| Varisoft EQ 65 Pellets | | | Page: 1/8 |
|---|---|---|---|
| Date: 03/23/2022 | | Version: 1 | Cancels and replaces |
| SECTION 1. IDENTIFIC | ATION | | |
| Product Name/Identifier Product Code | Varisoft EQ 65 Pellet FSSB22022 | S | |
| Recommended Use Restrictions on Use | Topical Cosmetic Us None | e | |
| Supplier Site Address | Formulator Sample S 135 Joshua Court Lincolnton, NC 28092 | | |
| Telephone No. (24hrs) | 1-704-276-7540 | | |
| Emergency Telephone # | 1-704-276-7540 (Mo | n-Fri: 8:00AM – 5:00PM | EST) |
| SECTION 2. HAZARD(S |) IDENTIFICATION | | |
| Classification: | | | |
| GHS / CLP Basis for Classification: | | | and labeling is required according to G entation (United Nations version 2011) |
| USA OSHA Regulatory Status: | | s non-hazardous as de n Standard (29 CFR 191 | fined by the American OSHA Hazard 0.1200). |
| Europe Basis for Classification: | according to R -This product is | Reg. (EC) No 1272/2008. | ation and labeling is required dous to health or environment |
| Labeling Elements: | | | |
| Pictograph: | No hazard symbol | expected | |
| Hazard statements/Signal Wo | ord: Not applicable | | |
| Precautionary statements: | P233: Keep contai P281: Use person P402: Store in a d P404: Store in a c | al protective equipment a ry place | as required |

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.

P411: Store at temperatures not exceeding 32°C

P410: Protect from sunlight



135 Joshua Court, Lincolnton, NC 28092 USA

| Varisoft EQ 65 Pellets | | | Page: 2/8 |
|--|--|---|--|
| Date: 03/23/2022 | | Version: 1 | Cancels and replaces |
| Other hazards which do not result | in classification: | | |
| | l. No particular hazaro No particular hazaro | | |
| US NFPA 704 (National Fire Protec | ction Association) | Hazard Rating System | : |
| Health hazard: Rating 0; Normal Mat Flammability: Rating 0, Will Not Burn Reactivity: Rating 0, Stable Other Hazard Information: None | | | |
| Results of PBT and vPvB assessm | nent: | | |
| -PBT: Not applicable -vPvB: Not applicable | | | |
| SECTION 3. COMPOSITION | / INFORMATION | | S |
| Common Chemical Name: | Distearoylethyl D Cetearyl Alcohol | Dimonium Chloride; | |
| Generic name: | | | |
| Chemical Family: | Ester Quat | | |
| Description: Mixture: | | | |
| Substance Distearoylethyl Dimonium Chloride Cetearyl Alcohol | | | |
| Formula: | Not applicable | | |
| SECTION 4. FIRST-AID MEAS | SURES | | |
| General: | In all cases of do | oubt, or when symptoms | persist, seek medical attention. |
| Inhalation: | Move to fresh air breathing difficul | | et medical attention for any |
| Skin contact: | Rinse with soap | and water. Get medical | advice if irritation develops. |
| Eye contact: | | e with plenty of water for s wide open. Consult wi | r at least 15 minutes, while th a physician |



135 Joshua Court, Lincolnton, NC 28092 USA

| Varisoft EQ 65 Pellets | Page: | 3/8 | |
|-------------------------------|--|-------|--|
| Date: 03/23/2022 | Version: 1 Cancels and replaces | | |
| Ingestion: | Consult with a physician. | | |
| Protection of first-aiders: | No special protection required. | | |
| SECTION 5. FIRE-FIGHTIN | IG MEASURES | | |
| Fire and explosion hazards: | Not considered to be a fire and explosion hazard | | |
| Extinguishing media: | | | |
| Suitable: | Water, dry chemicals and foam | | |
| Not suitable: | None known | | |
| Fire fighting: | Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low area | | |
| Protection for fire-fighters: | Boots, gloves, goggles. | | |
| SECTION 6. ACCIDENTAL | RELEASE MEASURES | | |
| Personal precautions: | Avoid contact with eyes. | | |
| | Personal Protective Equipment: -Protective goggles | | |
| Environmental precautions: | Prevent entry into sewers and waterways. Do not allow material to contaminate ground water system | | |
| Methods for cleaning up: | | | |
| Recovery: | Pick up free liquid for recycling or disposal. Residual liquid can be absorbed on an inert material. Sweep or vacuum up any powder and a clearly labeled waste container, avoiding dust formation. | place | |
| Cleaning/Decontamination: | Wash non-recoverable remainder with water. | | |
| Disposal: | For disposal of residues refer to sections 8 & 13. | | |

SECTION 7. HANDLING AND STORAGE

| Handling | |
|---------------------|--|
| Technical measures: | Labeling: Keep out of the reach of children. |
| Measures: | For industrial use, only as directed. |



135 Joshua Court, Lincolnton, NC 28092 USA

| Varisoft EQ 65 Pellets | | Page: 4/8 | |
|--|---|--|--|
| Date: 03/23/2022 | Version: 1 | Cancels and replaces | |
| Safe handling advice: | Wash hands after use. Avoid storage nea | ar feed or food stuff. | |
| Storage Technical measures: Recommended Storage Conditions: | Keep container closed. Store in a dry place at temperatures not e studies, the optimum storage temperature However, it may be stored at temperature temperature control is not available. Do n effects heat or cold may have on the spec | e for maximization of shelf life is 23 - 25 es between 16 and 32°C if such specific lot freeze. Please refer to stability data f | |
| Incompatible products: | Avoid contact with strong oxidizers. Refer to the detailed list of incompatible n | naterials (Section 10 Stability/Reactivity | |
| Packaging: Packaging materials: | Product may be packaged in normal commercial packaging. Recommended - Polypropylene & High Density Polyethylene | | |
| SECTION 8. EXPOSURE CON | TROLS / PERSONAL PROTECTIO | N | |
| Precautionary statements: | Ensure adequate ventilation | | |
| Control parameters | | | |
| Occupational exposure Limits: | | | |
| France: ACGIH: Korea: UK: Surveillance procedures: | Not Determined Not Determined Not Determined Not Determined | | |
| Engineering measures: | Not Determined Not Determined | | |
| Personal Protective Equipment: | | | |
| Respiratory protection: Hand protection: | Local exhaust Protective gloves made of rubber or neop Safety glasses. | prene. | |
| Eye protection: Collective emergency equipment: Skin and Body Protection: Hygiene measures: | Eye fountain. Suitable protective clothing Handle in accordance with good industria | I hygiene and safety practice. | |

| Appearance: | Solid pellets |
|-------------|---------------|
| Color: | Yellow |



Safety Data Sheet

135 Joshua Court, Lincolnton, NC 28092 USA

| Varisoft EQ 65 Pellets | Page: 5/8 |
|---|---|
| Date: 03/23/2022 | Version: 1 Cancels and replaces |
| Odor: | Typical |
| pH (Direct): | SDS says 3 – 5 (50°C) |
| Refractive Index (25°C): | Not applicable |
| Heavy Metals: Lead: Arsenic: Cadmium: | < 20 ppm < 10 ppm < 2 ppm < 1 ppm |
| Microbial Content: Yeast & Mold: Gram Negative Bacteria: | < 100 CFU/g; No pathogens < 100 CFU/g 0 CFU/g |
| Specific Gravity: | Not applicable |
| Vapor density: Boiling Point: Freezing Point: Melting point: | Not applicable Not determined Not determined Not applicable |
| Flash point: Oxidizing properties: | > 212°F Non oxidizing material according to EC criteria. |
| Solubility : In water: In organic solvents: Log P: | Not measured Not determined Not determined |
| SECTION 10. STABILITY A | ND REACTIVITY |
| Stability: | Stable under ordinary conditions of use and storage up to one year then re-test to full product specifications to extend shelf life |

Hazardous reactions:

None known

Conditions to avoid: No dangerous reactions known under use of normal conditions. Avoid extreme heat.

Materials to avoid: No dangerous reaction known with common products.

Hazardous decomposition products: None known

SECTION 11. TOXICOLOGICAL INFORMATION

Ingestion:

Not Determined



135 Joshua Court, Lincolnton, NC 28092 USA

| Varisoft EQ 65 Pellets | | | Page: 6/8 |
|--|---|-----------------------|---|
| Date: 03/23/2022 | | Version: 1 | Cancels and replaces |
| Dermal: Ocular: Inhalation: | Not Determined Not Determined Not Determined | | |
| Acute toxicity data: Sensitization: Repeated dose toxicity: Subacute to chronic toxicity: | Not Determined Non-Primary Sens No known effects Not Determined | sitizers | |
| Additional Toxicological Information | | neral EU Classificati | ation according to the calculation ion Guidelines for Preparations as |
| Specific effects: | | | |
| Carcinogenicity: Mutagenicity: Reproductive toxicity: Neuro-toxicity: | No known effects No known effects No known effects No known effects | | |
| For more information: | Does not present any particular risk on handling under normal conditions of good occupational hygiene practice. | | |
| This product has not been tested for -Primary cutaneous and corrosive irr -Acute oral toxicity -Mutagenicity/genotoxicity | | | |
| SECTION 12. ECOLOGICAL I | NFORMATION | | |
| Ecotoxicity Effects on the aquatic environment: | Not Determined | | |
| Biodegradability: Persistence: | Not Determined | | |
| Bioaccumulation: Octanol / water partition coefficient: | Not Determined | | |
| Mobility: Precipitation: Expected behavior of the product: | Ultimate destinatior | n of the product: Soi | I & sediment. |
| Other Adverse Effects: | None known | | |
| SECTION 13. DISPOSAL COM | SIDERATIONS | | |

Residues from product



=

Safety Data Sheet

135 Joshua Court, Lincolnton, NC 28092 USA

| Varisoft EQ 65 Pellets | | Page: 7/8 |
|---|--|----------------------|
| Date: 03/23/2022 | Version: 1 | Cancels and replaces |
| Prohibition: Destruction/Disposal: | Do not allow the product to be released into Dispose of in accordance with relevant local | |
| Contaminated packaging | | |
| Decontamination/cleaning: Destruction/Disposal: | Cleaning is not required prior to disposal. | |
| Note: Take all necessary precautions when disposing of this product according to local regulations. | | |

SECTION 14. TRANSPORT INFORMATION

| UN Number: UN Shipping Name: | None None |
|-----------------------------------|---|
| Transport Hazard Class: | Not classified as dangerous for transport |
| Land (rail/road): Sea: Air: | Material is not restrictive for land transport and is not regulated by ADR/RID Material is not restrictive for sea transport and is not regulated by IMO/IMDG Material is not restrictive for air transport and is not regulated by ICAO/IATA |
| Marine Pollutant: | No |
| Transport/Additional Information: | Not regulated for US DOT Transport in non-bulk containers This material is not dangerous or hazardous |
| Special Precautions for User: | None known |

The above regulatory prescriptions are those valid on the date of publication of this sheet. However, given the possible evolution of transport regulations for hazardous materials and in the event of the MSDS in your possession dating back more than 12 months, it is advisable to check their validity with your sales office.

SECTION 15. REGULATORY INFORMATION

| Labeling: EC regulations: | This product does not need to be labeled in accordance with EC Directives or respective national laws |
|------------------------------|--|
| Further regulations | |
| United Kingdom: | Handle in accordance with relevant British regulation: control of substance Hazardous to Health Regulations Environmental Hygiene Guidance: EH40 Workplace Exposure Limits (revised annually) |
| Korea regulations: | Industrial safety and hygiene regulation: No Hazardous material control regulation: No |



135 Joshua Court, Lincolnton, NC 28092 USA

| Varisoft EQ 65 Pellets | | Page: 8/8 |
|------------------------|-----------------------------|----------------------|
| Date: 03/23/2022 | Version: 1 | Cancels and replaces |
| | Fire prevention regulation: | No |

Other regulations:

=

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the products described in this sheet. The user's attention is drawn to the possible existence of additional provision which complete these regulations. Please refer to all applicable international, national and local regulations and provisions

SECTION 16. OTHER INFORMATION

| Prohibited uses: | For specific uses, food industry, ask the manufacturer for more information. |
|-------------------------|--|
| Last Revision Date: | N/A |
| Preparation Date: | 03/23/2022 |
| MSDS summary of changes | No deletion, addition or revision to date |

The information given is based on our knowledge of this product, at the time of publication in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than which it was intended. This is not in any way excuse the user from knowing and applying all the regulations governing their activity. It is sole responsibility of the user to take all precautions required in handling the product. The purpose of mandatory regulation mentioned is to help the user to fulfill his obligations regarding the use of products. This information is not exhaustive, this is not exonerate the user from ensuring that legal obligations other than those mentioned, relating to the use and storage.