

FSS Elastin DRK**Page: 1/9**

Date: 02 / 02 / 2026

Version: 1

Cancels and replaces version:

SECTION 1. IDENTIFICATION

Product Name/Identifier FSS Elastin DRK
Product Code FSS20604DRK

Recommended Use Topical Cosmetic Use

Restrictions on Use Refer to the detailed list of labeling/restrictions (Section 15 Regulatory Information)

Supplier/Manufacturing Site Formulator Sample Shop, LLC
Address 125 Technology Drive
Lincolnton, NC 28092, USA

Telephone No. (24hrs) 1-704-276-7540

Emergency Telephone # 1-704-276-7540 (Mon-Fri: 8:00AM – 5:00PM EST)

SECTION 2. HAZARD(S) IDENTIFICATION**Classification:****GHS / CLP**

Basis for Classification: Based on present data no classification and labeling is required according to GHS, taking into account the national implementation (United Nations version 2011)

USA

OSHA Regulatory Status: This material is non-hazardous as defined by the American OSHA Hazard Communication Standard (29 CFR 1910.1200).

Europe

Basis for Classification: -According to present data no classification and labeling is required according to Reg. (EC) No 1272/2008.
-This product is not classified as hazardous to health or environment according to the CLP regulation.

Labeling Elements:

Pictograph: No hazard symbol expected

Hazard statements/Signal Word: Not applicable

Precautionary statements: P233: Keep container tightly closed
P281: Use personal protective equipment as required
P402: Store in a dry place
P404: Store in a closed container
P410: Protect from sunlight
P411: Store at temperatures not exceeding 32°C

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.

FSS Elastin DRK
Page: 2/9

Date: 02 / 02 / 2026

Version: 1

Cancels and replaces version:

Other hazards which do not result in classification:

No particular fire or explosion hazard.

By mechanical effect: No particular hazards.

By hygroscopic effect: No particular hazards.

US NFPA 704 (National Fire Protection Association) Hazard Rating System:

Health hazard: Rating 0; Normal Material

Flammability: Rating 0, Will Not Burn

Reactivity: Rating 0, Stable

Other Hazard Information: None

Results of PBT and vPvB assessment:

-PBT: Not applicable

-vPvB: Not applicable

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS
Common Chemical Name: Hydrolyzed Elastin

Generic name:
Chemical Family: Proteins

Description: Mixture: consisting of the following components. This section describes all components of the mixture

Substance	CAS Numbers	EC Numbers	Percentage
Water	7732-18-5	231-791-2	86.40%
Hydrolyzed Elastin	91080-18-1	293-509-4	12.00%
Butylene Glycol	107-88-0	203-529-7	1.00%
Phenoxyethanol	122-99-6	204-589-7	0.362%
Tetrasodium EDTA	64-02-8	200-573-9	0.10%
Methylparaben	99-76-3	202-785-7	0.078%
Ethylparaben	120-47-8	204-399-4	0.02%
Butylparaben	94-26-8	202-318-7	0.02%
Propylparaben	94-13-3	202-307-7	0.01%
Isobutylparaben	4247-02-3	224-208-8	0.01%

Formula: Not applicable

FSS Elastin DRK

Page: 3/9

Date: 02 / 02 / 2026

Version: 1

Cancels and replaces version:

SECTION 4. FIRST-AID MEASURES

General:	In all cases of doubt, or when symptoms persist, seek medical attention.
Inhalation:	Move to fresh air from exposure area. Get medical attention for any breathing difficulty.
Skin contact:	Rinse with soap and water. Get medical advice if irritation develops.
Eye contact:	Immediately rinse with plenty of water for at least 15 minutes, while keeping the eyes wide open. Consult with a physician.
Ingestion:	Consult with a physician.
Protection of first-aiders:	No special protection required.

SECTION 5. FIRE-FIGHTING MEASURES

Fire and explosion hazards:	Not considered to be a fire and explosion hazard
Extinguishing media:	
Suitable:	Water, dry chemicals, foam and carbon dioxide
Not suitable:	None known
Fire fighting:	Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low area
Protection for fire-fighters:	Boots, gloves, goggles.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Avoid contact with eyes. Personal Protective Equipment: -Protective goggles
Environmental precautions:	Prevent entry into sewers and waterways. Do not allow material to contaminate ground water system
Methods for cleaning up:	
Recovery:	Pick up free liquid for recycling or disposal. Residual liquid can be absorbed on an inert material. Sweep or vacuum up any powder and place in a clearly labeled waste container, avoiding dust formation.
Cleaning/Decontamination:	Wash non-recoverable remainder with water.
Disposal:	For disposal of residues refer to sections 8 & 13.

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.

FSS Elastin DRK

Page: 4/9

Date: 02 / 02 / 2026

Version: 1

Cancels and replaces version:

SECTION 7. HANDLING AND STORAGE

Handling

Technical measures: Labeling: Keep out of the reach of children.

Measures: For industrial use, only as directed.

Safe handling advice: Wash hands after use. Avoid storage near feed or food stuff.

Storage

Technical measures: Keep container closed.

Recommended Storage Conditions: Store in a dry place at temperatures not exceeding 32°C. Based on stability studies, the optimum storage temperature for maximization of shelf life is 23 - 25°C. However, it may be stored at temperatures between 16 and 32°C if such specific temperature control is not available. Do not freeze. Please refer to stability data for effects heat or cold may have on the specifications of the product.

Incompatible products: Avoid contact with strong oxidizers.
Refer to the detailed list of incompatible materials (Section 10 Stability/Reactivity)

Packaging: Product may be packaged in normal commercial packaging.
Packaging materials: Recommended - Polypropylene & High Density Polyethylene

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Precautionary statements: Ensure adequate ventilation

Control parameters

Occupational exposure Limits:

France: Not Determined

ACGIH: Not Determined

Korea: Not Determined

UK: Not Determined

Surveillance procedures: Not Determined

Engineering measures: Not Determined

Personal Protective Equipment:

Respiratory protection: Local exhaust

Hand protection: Protective gloves made of rubber or neoprene.

Eye protection: Safety glasses.

Collective emergency equipment: Eye fountain.

Skin and Body Protection: Suitable protective clothing

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

Measures related to the Environment: No particular measures.

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.

FSS Elastin DRK

Page: 5/9

Date: 02 / 02 / 2026

Version: 1

Cancels and replaces version:

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear to slightly hazy, yellow solution
Odor:	Very slight, characteristic
pH (25°C):	4.5 – 7.5
NVM (1g-1hr-105°C):	10.0 – 14.0%
Ash (800°C USP XXII):	2.0% Maximum
Nitrogen:	1.5 – 1.8%
Formaldehyde:	None detected
Heavy Metals:	< 20 ppm
Lead:	< 10 ppm
Arsenic:	< 2 ppm
Cadmium:	< 1 ppm
Microbial Content:	< 100 CFU/g; No pathogens
Yeast & Mold:	< 100 CFU/g
Gram Negative Bacteria:	0 CFU/g
Specific Gravity:	Not determined
Vapor density:	Not applicable
Boiling Point:	Not determined
Freezing Point:	Not determined
Melting point:	Not applicable
Flash point:	> 200°F
Oxidizing properties:	Non oxidizing material according to EC criteria.
Solubility:	
In water:	Soluble
In organic solvents:	Not determined
Log P:	Not determined

SECTION 10. STABILITY AND REACTIVITY

Stability:	Stable under ordinary conditions of use and storage up to one year then re-test to full product specifications to extend shelf life
Hazardous reactions:	None known
Conditions to avoid:	No dangerous reactions known under use of normal conditions. Avoid extreme heat.

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.

FSS Elastin DRK

Page: 6/9

Date: 02 / 02 / 2026

Version: 1

Cancels and replaces version:

Materials to avoid: No dangerous reaction known with common products.

Hazardous decomposition products: None known

SECTION 11. TOXICOLOGICAL INFORMATION

Ingestion:	Not Determined
Dermal:	Non-Irritant (Dermal Irritation Model)
Ocular:	Non-Irritant (Ocular Irritation Model)
Inhalation:	Not Determined
Acute toxicity data:	Non-Irritant
Sensitization:	Non-Primary Sensitizers
Repeated dose toxicity:	No known effects
Subacute to chronic toxicity:	Not Determined

Additional Toxicological Information: This product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

Specific effects:

Carcinogenicity:	No known effects
Mutagenicity:	No known effects
Reproductive toxicity:	No known effects
Neuro-toxicity:	No known effects

For more information: Does not present any particular risk on handling under normal conditions of good occupational hygiene practice.

This product has not been tested for the following:

- Primary cutaneous and corrosive irritation
- Acute oral toxicity
- Mutagenicity/genotoxicity

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Effects on the aquatic environment: Not Determined

Biodegradability:

Persistence: Not Determined

Bioaccumulation:

Octanol / water partition coefficient: Not Determined

FSS Elastin DRK

Page: 7/9

Date: 02 / 02 / 2026

Version: 1

Cancels and replaces version:

Mobility:

Precipitation:

Expected behavior of the product: Ultimate destination of the product: Soil & sediment.

Other Adverse Effects: None known

SECTION 13. DISPOSAL CONSIDERATIONS

Residues from product

Prohibition: Do not allow the product to be released into the Environment.
Destruction/Disposal: Dispose of in accordance with relevant local regulations

Contaminated packaging

Decontamination/cleaning: Cleaning is not required prior to disposal.
Destruction/Disposal:

Note: Take all necessary precautions when disposing of this product according to local regulations.

SECTION 14. TRANSPORT INFORMATION

UN Number: None

UN Shipping Name: None

Transport Hazard Class: Not classified as dangerous for transport

Land (rail/road): Material is not restrictive for land transport and is not regulated by ADR/RID
Sea: Material is not restrictive for sea transport and is not regulated by IMO/IMDG
Air: Material is not restrictive for air transport and is not regulated by ICAO/IATA

Marine Pollutant: No

Transport/Additional Information: Not regulated for US DOT Transport in non-bulk containers
This material is not dangerous or hazardous

Special Precautions for User: None known

The above regulatory prescriptions are those valid on the date of publication of this sheet. However, given the possible evolution of transport regulations for hazardous materials and in the event of the MSDS in your possession dating back more than 12 months, it is advisable to check their validity with your sales office.

FSS Elastin DRK
Page: 8/9

Date: 02 / 02 / 2026

Version: 1

Cancels and replaces version:

SECTION 15. REGULATORY INFORMATION
Labeling/Restrictions:
EC regulations:

Restrictions:

Methyl- and Ethyl- esters can be used up to 0.40% (as acid) for 1 ester or 0.80% for mixtures of substances of Methyl- and Ethyl- esters & Butyl- and Propyl- parabens, where the sum of the individual concentrations of butyl- and Propylparaben and their salts do not exceed 0.14%

Isobutylparaben is banned by Commission Regulation (EU) No 358/2014

Labeling Requirements/Warnings:

Not to be used on products designed for application on the nappy area of children under 3 years of age

Further regulations

United Kingdom:

Handle in accordance with relevant British regulation: control of substance Hazardous to Health Regulations Environmental Hygiene Guidance: EH40
Workplace Exposure Limits (revised annually)

Korea regulations:

Industrial safety and hygiene regulation: No
Hazardous material control regulation: No
Fire prevention regulation: No

Other regulations:

EINECS inventory status:

Aqua:	231-791-2
Hydrolyzed Elastin:	293-509-4
Butylene Glycol:	203-529-7
Phenoxyethanol:	204-589-7
Tetrasodium EDTA:	200-573-9
Methylparaben:	202-785-7
Ethylparaben:	204-399-4
Butylparaben:	202-318-7
Propylparaben:	202-307-7
Not Allowed: Isobutylparaben:	224-208-8
Exempt	

TSCA inventory status:

7732-18-5 & 91080-18-1 & 107-88-0 & 122-99-6 & 64-02-8 & 99-76-3 & 120-47-8 & 94-26-8 & 94-13-3 & 4247-02-3

AICS inventory status:

Listed as Water (DSL) & Elastins, hydrolyzates (DSL) & 1,3-Butanediol (DSL) & Ethanol, 2-phenoxy- (DSL) & Glycine, L, L-1,2-ethanediylbis[(carboxymethyl)-, tetrasodium salt (DSL) & Benzoic acid, 4-hydroxy-, methyl ester (DSL) & Benzoic acid, 4-hydroxy-, ethyl ester (DSL) & Benzoic acid, 4-hydroxy-, butyl ester (DSL) & Benzoic acid, 4-hydroxy-, propyl ester (DSL) & Benzoic acid, 4-hydroxy-, 2-methylpropyl ester (DSL) Water & Hydrolyzed Elastin & Butylene Glycol & Phenoxyethanol & Tetrasodium EDTA & Methylparaben & Ethylparaben & Butylparaben & Propylparaben & Isobutylparaben

Canadian (CEPA DSL) inventory status:

Listed as Water (DSL) & Elastins, hydrolyzates (DSL) & 1,3-Butanediol (DSL) & Ethanol, 2-phenoxy- (DSL) & Glycine, L, L-1,2-ethanediylbis[(carboxymethyl)-, tetrasodium salt (DSL) & Benzoic acid, 4-hydroxy-, methyl ester (DSL) & Benzoic acid, 4-hydroxy-, ethyl ester (DSL) & Benzoic acid, 4-hydroxy-, butyl ester (DSL) & Benzoic acid, 4-hydroxy-, propyl ester (DSL) & Benzoic acid, 4-hydroxy-, 2-methylpropyl ester (DSL) Water & Hydrolyzed Elastin & Butylene Glycol & Phenoxyethanol & Tetrasodium EDTA & Methylparaben & Ethylparaben & Butylparaben & Propylparaben & Isobutylparaben

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.

FSS Elastin DRK

Page: 9/9

Date: 02 / 02 / 2026

Version: 1

Cancels and replaces version:

Other regulations (Continued):

Korea:

Water & Hydrolyzed Elastin & Butylene Glycol & Phenoxyethanol & Tetrasodium EDTA & Methylparaben & Ethylparaben & Butylparaben & Propylparaben & Isobutylparaben

China inventory status:

Water & Hydrolyzed Elastin & Butylene Glycol & Phenoxyethanol & Tetrasodium EDTA & Methylparaben & Ethylparaben & Butylparaben & Propylparaben & Isobutylparaben

Philippines inventory status:

Not Listed: Isobutylparaben (4247-02-3)

Listed as Water & Elastins, hydrolyzates & 1,3-Butanediol & Ethanol, 2-phenoxy- & EDTA, Tetrasodium Salt & Benzoic acid, 4-hydroxy-, methyl ester & Benzoic acid, 4-hydroxy-, ethyl ester & Benzoic acid, 4-hydroxy-, butyl ester & Benzoic acid, 4-hydroxy-, propyl ester

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the products described in this sheet. The user's attention is drawn to the possible existence of additional provision which complete these regulations. Please refer to all applicable international, national and local regulations and provisions

SECTION 16. OTHER INFORMATION

Prohibited uses: For specific uses, food industry, ask the manufacturer for more information.

Last Revision Date: N/A

Preparation Date: 02/02/2026

MSDS summary of changes None at this time

The information given is based on our knowledge of this product, at the time of publication in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than which it was intended. This is not in any way excuse the user from knowing and applying all the regulations governing their activity. It is sole responsibility of the user to take all precautions required in handling the product. The purpose of mandatory regulation mentioned is to help the user to fulfill his obligations regarding the use of products. This information is not exhaustive, this is not exonerate the user from ensuring that legal obligations other than those mentioned, relating to the use and storage.