

135 Joshua Court, Lincolnton, NC 28092 USA

FSS Foaming Silk PF

Date: 02 /	11 / 2020
------------	-----------

Version: 1

Page: 1/9 Cancels and replaces version:

SECTION 1. IDENTIFICATION

Product Name/Identifier	FSS Foaming Silk PF
Product Code	FSS20614PF
Recommended Use	Ingredients/Raw materials used in the manufacturing of Cosmetic Products'
Restrictions on Use	None
Supplier/Manufacturing Site Address	Formulator Sample Shop 135 Joshua Court Lincolnton, NC 28092, USA
Telephone No. (24hrs)	1-704-276-7540

Emergency Telephone # 1-704-276-7540 (Mon-Fri: 8:00AM – 5:00PM EST)

SECTION 2. HAZARD(S) IDENTIFICATION

Classification:

GHS / CLP Basis for Classification:	Based on present data no classification and labeling is required according to GHS, taking into account the national implementation (United Nations version 2011)
USA OSHA Regulatory Status:	This material is non-hazardous as defined by the American OSHA Hazard Communication Standard (29 CFR 1910.1200).
Europe Basis for Classification:	 According to present data no classification and labeling is required according to Directives 67/548/EEC or 1999/45/EC. This product is not classified as hazardous to health or environment according to the CLP regulation.
Labeling Elements:	
Pictograph:	No hazard symbol expected
Hazard statements/Signal W	ford: Not applicable
Precautionary statements:	P233: Keep container tightly closed P281: Use personal protective equipment as required P402: Store in a dry place P404: Store in a closed container P410: Protect from sunlight P411: Store at temperatures not exceeding 32°C



135 Joshua Court, Lincolnton, NC 28092 USA

FSS Foaming Silk PF

Date: 02 / 11 / 2020

Version: 1

Cancels and replaces version:

Page: 2/9

Other hazards which do not result in classification:

No particular fire or explosion hazard. By mechanical effect: No particular hazards. By hydroscopic effect: No particular hazards.

US NFPA 704 (National Fire Protection Association) Hazard Rating System:

Health hazard: Rating 0; Normal Material Flammability: Rating 0, Will Not Burn Reactivity: Rating 0, Stable Other Hazard Information: None

Results of PBT and vPvB assessment:

-PBT: Not applicable -vPvB: Not applicable

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Common Chemical Name:

Sodium Cocoyl Hydrolyzed Silk

Generic name:

Chemical Family:

Hydrolyzed Protein

Description: Mixture: consisting of the following components. This section describes all components of the mixture

<u>Substance</u>	<u>CAS Numbers</u>	<u>EC Numbers</u>	Percentage
Water	7732-18-5	231-791-2	66.50%
Sodium Cocoyl Hydrolyzed Silk	N/A	N/A	31.50%
Leuconostoc/Radish Root Ferment Filtrate	84775-94-0 (or)	283-918-6 (or)	2.00%
	1686112-10-6	N/A	2.0070

Formula:

Not applicable

SECTION 4. FIRST-AID MEASURES

General:	In all cases of doubt, or when symptoms persist, seek medical attention.
Inhalation:	Move to fresh air from exposure area. Get medical attention for any breathing difficulty.
Skin contact:	Rinse with soap and water. Get medical advice if irritation develops.
Eye contact:	Immediately rinse with plenty of water for at least 15 minutes, while keeping the eyes wide open. Consult with a physician.



135 Joshua Court, Lincolnton, NC 28092 USA

FSS Foaming Silk PF		Page: 3/9	
Date: 02 / 11 / 2020	Version: 1	Cancels and replaces version:	
Ingestion:	Consult with a physician.		
Protection of first-aiders:	No special protection required.		
SECTION 5. FIRE-FIGHTIN	G MEASURES		
Fire and explosion hazards:	Not considered to be a fire and e	Not considered to be a fire and explosion hazard	
Extinguishing media:			
Suitable:	Water, dry chemicals, foam and	Water, dry chemicals, foam and carbon dioxide	
Not suitable:	None known	None known	
Fire fighting:	Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low area		
Protection for fire-fighters:	Boots, gloves, goggles.		
SECTION 6. ACCIDENTAL	RELEASE MEASURES		
Personal precautions:	Avoid contact with eyes. Personal Protective Equipment: -Protective goggles		
Environmental precautions:	Prevent entry into sewers and w contaminate ground water syste	aterways. Do not allow material to m	
Methods for cleaning up:			
Recovery:	Pick up free liquid for recycling o absorbed on an inert material.	or disposal. Residual liquid can be	
Cleaning/Decontamination:	Wash non-recoverable remainde	er with water.	
Disposal:	For disposal of residues refer to	sections 8 & 13.	

SECTION 7. HANDLING AND STORAGE

Handling	
Technical measures:	Labeling: Keep out of the reach of children.
Measures:	For industrial use, only as directed.
Safe handling advice:	Wash hands after use. Avoid storage near feed or food stuff.

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.



135 Joshua Court, Lincolnton, NC 28092 USA

FSS Foaming Silk PF		Page: 4/9
Date: 02 / 11 / 2020	Version: 1	Cancels and replaces version:
Storage Technical measures: Recommended Storage Conditions:	Keep container closed. Store in a dry place at temperatures not exceeding 32°C. Based on stability studies, the optimum storage temperature for maximization of shelf life is 23 - 25°C. However, it may be stored at temperatures between 23 and 32°C if such specific temperature control is not available. Do not freeze. Please refer to stability data for effects heat or cold may have on the specifications of the product.	
Incompatible products:	Avoid contact with strong oxidized Refer to the detailed list of inco	zers. mpatible materials (Section 10 Stability/Reactivity)
Packaging: Packaging materials:	Product may be packaged in ne Recommended - Polypropylene	

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Precautionary statements:	Ensure adequate ventilation
---------------------------	-----------------------------

Control parameters

Engineering measures:

=

=

Occupational exposure Limits:

France:	Not Determined
ACGIH:	Not Determined
Korea:	Not Determined
UK:	Not Determined
Surveillance procedures:	Not Determined

Personal Protective Equipment:

Respiratory protection:	Local exhaust
Hand protection:	Protective gloves made of rubber or neoprene.
Eye protection:	Safety glasses.
Collective emergency equipment:	Eye fountain.
Skin and Body Protection:	Suitable protective clothing
Hygiene measures:	Handle in accordance with good industrial hygiene and safety practice.

Not Determined

Measures related to the Environment: No particular measures.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Color:

Odor:

Characteristic

Hazy amber liquid

8 Gardner Maximum



135 Joshua Court, Lincolnton, NC 28092 USA

FSS Foaming Silk PF		Page: 5/9
Date: 02 / 11 / 2020	Version: 1	Cancels and replaces version:
Non-Volatile Matter (1g-1hr @ 105°C):	28.0 - 35.0%	
pH (Direct):	6.5 - 8.0	
Ash (800°C):	8.0% Maximum	
Heavy Metals:	< 20 ppm	
Lead:	< 10 ppm	
Arsenic:	< 2 ppm	
Cadmium:	< 1 ppm	
Microbial Content:	< 100 CFU/g; No pathoge	ens
Yeast & Mold:	< 100 CFU/g	
Gram Negative Bacteria:	0 CFU/g	
Specific Gravity:	Not determined	
Vapor density:	Not applicable	
Boiling Point:	Not determined	
Freezing Point:	Not determined	
Melting point:	Not applicable	
Flash point:	> 200°F	
Oxidizing properties:	Non oxidizing material acc	cording to EC criteria.
Solubility:		
In water:	Soluble	
In organic solvents:	Not determined	
Log P:	Not determined	

Stability:	Stable under ordinary conditions of use and storage up to one year then re-test to full product specifications to extend shelf life	
Hazardous reactions:	None known	
Conditions to avoid:	No dangerous reactions known under use of normal conditions. Avoid extreme heat.	
Materials to avoid:	No dangerous reaction known with common products.	
Hazardous decomposition products: None known		



135 Joshua Court, LincoInton, NC 28092 USA

FSS Foaming Silk PF

Date: 02 / 11 / 2020

Version: 1

Cancels and replaces version:

Page: 6/9

SECTION 11. TOXICOLOGICAL INFORMATION

Ingestion: Dermal:	Not Determined Not Determined
Ocular:	Not Determined
Inhalation:	Not Determined
	Not Determined
Acute toxicity data:	Not Determined
Sensitization:	Non-Primary Sensitizers
Repeated dose toxicity:	No known effects
Subacute to chronic toxicity:	Not Determined
Additional Toxicological Informati	ion: This product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.
Specific effects:	
Carcinogenicity:	No known effects
Mutagenicity:	No known effects
Reproductive toxicity:	No known effects
Neuro-toxicity:	No known effects
,	
For more information:	Does not present any particular risk on handling under normal conditions of good occupational hygiene practice.
This product has not been tested for -Primary cutaneous and corrosive in -Acute oral toxicity -Mutagenicity/genotoxicity	
SECTION 12. ECOLOGICAL	
	INFORMATION
Ecotoxicity Effects on the aquatic environment:	INFORMATION Not Determined
Ecotoxicity	
Ecotoxicity Effects on the aquatic environment: Biodegradability:	Not Determined
Ecotoxicity Effects on the aquatic environment: Biodegradability: Persistence: Bioaccumulation:	Not Determined



Page: 7/9

135 Joshua Court, Lincolnton, NC 28092 USA

FSS Foaming Silk PF

Date: 02 / 11 / 2020

Version: 1

Cancels and replaces version:

SECTION 13. DISPOSAL CONSIDERATIONS

Residues from product

Prohibition: Destruction/Disposal:	Do not allow the product to be released into the Environment. Dispose of in accordance with relevant local regulations
Contaminated packaging	
Decontamination/cleaning: Destruction/Disposal:	Cleaning is not required prior to disposal.

Note: Take all necessary precautions when disposing of this product according to local regulations.

SECTION 14. TRANSPORT INFORMATION

UN Number: UN Shipping Name: Transport Hazard Class:	None None Not classified as dangerous for transport
Land (rail/road): Sea: Air:	Material is not restrictive for land transport and is not regulated by ADR/RID Material is not restrictive for sea transport and is not regulated by IMO/IMDG Material is not restrictive for land transport and is not regulated by ICA/IATA
Marine Pollutant:	No
Transport/Additional Information:	Not regulated for US DOT Transport in non-bulk containers This material is not dangerous or hazardous
Special Precautions for User:	None known

The above regulatory prescriptions are those valid on the date of publication of this sheet. However, given the possible evolution of transport regulations for hazardous materials and in the event of the MSDS in your possession dating back more than 12 months, it is advisable to check their validity with your sales office.

SECTION 15. REGULATORY INFORMATION

Labeling: EC regulations:	This product does not need to be labeled in accordance with EC Directives or respective national laws
Further regulations	
United Kingdom:	Handle in accordance with relevant British regulation: control of substance Hazardous to Health Regulations Environmental Hygiene Guidance: EH40 Workplace Exposure Limits (revised annually)



=

Safety Data Sheet

135 Joshua Court, Lincolnton, NC 28092 USA

FSS Foaming Silk PF Date: 02 / 11 / 2020	Version: 1 Ca	Page: 8/9 ancels and replaces version:
Korea regulations:	Industrial safety and hygiene regulation: Hazardous material control regulation: Fire prevention regulation:	No No No
Other regulations:		
EINECS inventory status:	Aqua: Sodium Cocoyl Hydrolyzed Silk: Leuconostoc/Radish Root Ferme	231-791-2 N/A ent Filtrate: 283-918-6 (or) N/A
TSCA inventory status: AICS inventory status:	Exempt Not Listed: Sodium Cocoyl Hydro Listed: 7732-18-5 & 84775-94-0	
Canadian (CEPA DSL) inventory statu		olyzed Silk & Leuconostoc/Radish Root
Japan (MITI list):	Water & Sodium Cocoyl Hydrolyz Ferment Filtrate	zed Silk** & Leuconostoc/Radish Root
Korea:	Water & Sodium Cocoyl Hydrolyz Ferment Filtrate [^]	zed Silk^ & Leuconostoc/Radish Root
China inventory status:	Water & Sodium Cocoyl Hydrolyz Ferment Filtrate	zed Silk* & Leuconostoc/Radish Root
Philippines inventory status:		olyzed Silk & Leuconostoc/Radish Root) 1686112-10-6)

*Listed on 2010 INCI Standard Chinese Name Directory

**Not listed on Cosmetic-Info database (or) on Restricted List ^Not listed in 2004 CTFA Dictionary – Registered with Personal Care Products Council

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the products described in this sheet. The user's attention is drawn to the possible existence of additional provision which complete these regulations. Please refer to all applicable international, national and local regulations and provisions

SECTION 16. OTHER INFORMATION

Prohibited uses:	For specific uses, food industry, ask the manufacturer for more information.
Last Revision Date:	N/A
Preparation Date:	02/11/2020
MSDS summary of changes	No deletion, addition or revision to date



135 Joshua Court, Lincolnton, NC 28092 USA

FSS Foaming Silk PF		Page: 9/9
Date: 02 / 11 / 2020	Version: 1	Cancels and replaces version:

The information given is based on our knowledge of this product, at the time of publication in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than which it was intended. This is not in any way excuse the user from knowing and applying all the regulations governing their activity. It is sole responsibility of the user to take all precautions required in handling the product. The purpose of mandatory regulation mentioned is to help the user to fulfill his obligations regarding the use of products. This information is not exhaustive, this is not exonerate the user from ensuring that legal obligations other than those mentioned, relating to the use and storage.