

FSS Elastin Hydrolysate 25 PF DRK**Page: 1/9**

Date: 09 / 18 / 2024

Version: 1

Cancels and replaces version:

SECTION 1. IDENTIFICATION

Product Name/Identifier FSS Elastin Hydrolysate 25 PF DRK
Product Code FSS20719PFDRK

Recommended Use Topical Cosmetic Use
Restrictions on Use None

Supplier/Manufacturing Site Formulator Sample Shop, LLC
Address 135 Joshua Court
Lincolnton, NC 28092, USA

Telephone No. (24hrs) 1-704-276-7540

Emergency Telephone # 1-704-276-7540 (Mon-Fri: 8:00AM – 5:00PM EST)

SECTION 2. HAZARD(S) IDENTIFICATION**Classification:****GHS / CLP**

Basis for Classification: Based on present data no classification and labeling is required according to GHS, taking into account the national implementation (United Nations version 2011)

USA

OSHA Regulatory Status: This material is non-hazardous as defined by the American OSHA Hazard Communication Standard (29 CFR 1910.1200).

Europe

Basis for Classification: -According to present data no classification and labeling is required according to Reg. (EC) No 1272/2008.
-This product is not classified as hazardous to health or environment according to the CLP regulation.

Labeling Elements:

Pictograph: No hazard symbol expected

Hazard statements/Signal Word: Not applicable

Precautionary statements: P233: Keep container tightly closed
P281: Use personal protective equipment as required
P402: Store in a dry place
P404: Store in a closed container
P410: Protect from sunlight
P411: Store at temperatures not exceeding 32°C

FSS Elastin Hydrolysate 25 PF DRK**Page: 2/9**

Date: 09 / 18 / 2024

Version: 1

Cancels and replaces version:

Other hazards which do not result in classification:

No particular fire or explosion hazard.

By mechanical effect: No particular hazards.

By hygroscopic effect: No particular hazards.

US NFPA 704 (National Fire Protection Association) Hazard Rating System:

Health hazard: Rating 0; Normal Material

Flammability: Rating 0, Will Not Burn

Reactivity: Rating 0, Stable

Other Hazard Information: None

Results of PBT and vPvB assessment:

-PBT: Not applicable

-vPvB: Not applicable

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS**Common Chemical Name:** Hydrolysate Elastin**Generic name:****Chemical Family:** Hydrolyzed Protein**Description:** Mixture: consisting of the following components. This section describes all components of the mixture

<u>Substance</u>	<u>CAS Numbers</u>	<u>EC Numbers</u>	<u>Percentage</u>
Water	7732-18-5	231-791-2	67.00%
Hydrolyzed Elastin	91080-18-1	293-509-4	30.00%
Leuconostoc/Radish Root Ferment Filtrate	1686112-10-6 (or) 84775-94-0	N/A (or) 283-918-6	2.00%
Butylene Glycol	107-88-0	203-529-7	1.00%

Formula: Not applicable**SECTION 4. FIRST-AID MEASURES****General:** In all cases of doubt, or when symptoms persist, seek medical attention.**Inhalation:** Move to fresh air from exposure area. Get medical attention for any breathing difficulty.**Skin contact:** Rinse with soap and water. Get medical advice if irritation develops.

FSS Elastin Hydrolysate 25 PF DRK**Page: 3/9**

Date: 09 / 18 / 2024

Version: 1

Cancels and replaces version:

Eye contact:	Immediately rinse with plenty of water for at least 15 minutes, while keeping the eyes wide open. Consult with a physician.
Ingestion:	Consult with a physician.
Protection of first-aiders:	No special protection required.

SECTION 5. FIRE-FIGHTING MEASURES

Fire and explosion hazards:	Not considered to be a fire and explosion hazard
Extinguishing media:	
Suitable:	Water, dry chemicals, foam and carbon dioxide
Not suitable:	None known
Fire fighting:	Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low area
Protection for fire-fighters:	Boots, gloves, goggles.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Avoid contact with eyes. Personal Protective Equipment: -Protective goggles
Environmental precautions:	Prevent entry into sewers and waterways. Do not allow material to contaminate ground water system
Methods for cleaning up:	
Recovery:	Pick up free liquid for recycling or disposal. Residual liquid can be absorbed on an inert material. Sweep or vacuum up any powder and place in a clearly labeled waste container, avoiding dust formation.
Cleaning/Decontamination:	Wash non-recoverable remainder with water.
Disposal:	For disposal of residues refer to sections 8 & 13.

SECTION 7. HANDLING AND STORAGE

Handling	
Technical measures:	Labeling: Keep out of the reach of children.
Measures:	For industrial use, only as directed.
Safe handling advice:	Wash hands after use. Avoid storage near feed or food stuff.

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.

FSS Elastin Hydrolysate 25 PF DRK**Page: 4/9**

Date: 09 / 18 / 2024

Version: 1

Cancels and replaces version:

Storage

Technical measures:

Keep container closed.

Recommended Storage Conditions:

Store in a dry place at temperatures not exceeding 32°C. Based on stability studies, the optimum storage temperature for maximization of shelf life is 23 - 25°C. However, it may be stored at temperatures between 16 and 32°C if such specific temperature control is not available. Do not freeze. Please refer to stability data for effects heat or cold may have on the specifications of the product.

Incompatible products:

Avoid contact with strong oxidizers.

Refer to the detailed list of incompatible materials (Section 10 Stability/Reactivity)

Packaging:

Product may be packaged in normal commercial packaging.

Packaging materials:

Recommended - Polypropylene & High Density Polyethylene

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**Precautionary statements:**

Ensure adequate ventilation

Control parameters

Occupational exposure Limits:

France:

Not Determined

ACGIH:

Not Determined

Korea:

Not Determined

UK:

Not Determined

Surveillance procedures:

Not Determined

Engineering measures:

Not Determined

Personal Protective Equipment:

Respiratory protection:

Local exhaust

Hand protection:

Protective gloves made of rubber or neoprene.

Eye protection:

Safety glasses.

Collective emergency equipment:

Eye fountain.

Skin and Body Protection:

Suitable protective clothing

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

Measures related to the Environment: No particular measures.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**Appearance:**

Clear to slightly hazy liquid

Color:

10 Gardner Minimum

Odor:

Characteristic

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.

FSS Elastin Hydrolysate 25 PF DRK**Page: 5/9**

Date: 09 / 18 / 2024

Version: 1

Cancels and replaces version:

Ash:	25.0% Minimum
pH (Direct):	4.5 – 7.5
Nitrogen (Kjeldahl):	4.5 – 5.4%
Heavy Metals:	< 20 ppm
Lead:	< 10 ppm
Arsenic:	< 2 ppm
Cadmium:	< 1 ppm
Microbial Content:	< 100 CFU/g; No pathogens
Yeast & Mold:	< 100 CFU/g
Gram Negative Bacteria:	0 CFU/g
Specific Gravity:	Not determined
Vapor density:	Not applicable
Boiling Point:	Not determined
Freezing Point:	Not determined
Melting point:	Not applicable
Flash point:	> 200°F
Oxidizing properties:	Non oxidizing material according to EC criteria.
Solubility:	
In water:	Soluble
In organic solvents:	Not determined
Log P:	Not determined

SECTION 10. STABILITY AND REACTIVITY

Stability:	Stable under ordinary conditions of use and storage up to one year then re-test to full product specifications to extend shelf life
Hazardous reactions:	None known
Conditions to avoid:	No dangerous reactions known under use of normal conditions. Avoid extreme heat.
Materials to avoid:	No dangerous reaction known with common products.
Hazardous decomposition products:	None known

FSS Elastin Hydrolysate 25 PF DRK**Page: 6/9**

Date: 09 / 18 / 2024

Version: 1

Cancels and replaces version:

SECTION 11. TOXICOLOGICAL INFORMATION

Ingestion:	Not Determined
Dermal:	Non-Irritant (Dermal Irritation Model)
Ocular:	Non-Irritant (Ocular Irritation Model)
Inhalation:	Not Determined
Acute toxicity data:	Non-Irritant, Non-Primary Sensitizer & Non-Photo Irritant
Sensitization:	Non-Primary Irritant & Non-Primary Sensitizers; Will not cause allergic contact dermatitis (In Chemico Skin Sensitization Direct Peptide Reactivity Assay & In Vitro Skin Sensitization ARE-Nrf2 Luciferase Test Method)
Repeated dose toxicity:	No known effects
Subacute to chronic toxicity:	Not Determined
Mutagenicity:	Non-Mutagenic (OECD471/ISO10993.Part 3 – Genotoxicity: Bacterial Reverse Mutation Test)
Additional Toxicological Information:	This product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.
Specific effects:	
Carcinogenicity:	No known effects
Mutagenicity:	No known effects
Reproductive toxicity:	No known effects
Neuro-toxicity:	No known effects
For more information:	Does not present any particular risk on handling under normal conditions of good occupational hygiene practice.

This product has not been tested for the following:

- Primary cutaneous and corrosive irritation
- Acute oral toxicity

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity**

Effects on the aquatic environment: EC₁₀ (Freshwater Alga): 120.45 mg/L - Not harmful to aquatic organisms
EC₂₀ (Freshwater Alga): 205.47 mg/L - Not harmful to aquatic organisms

Biodegradability:

Persistence: Readily Biodegradable (90.2% biodegradation after 28 days of testing)

FSS Elastin Hydrolysate 25 PF DRK**Page: 7/9**

Date: 09 / 18 / 2024

Version: 1

Cancels and replaces version:

Bioaccumulation:

Octanol / water partition coefficient: Not Determined

Mobility:

Precipitation:

Expected behavior of the product: Ultimate destination of the product: Soil & sediment.

Other Adverse Effects:

None known

SECTION 13. DISPOSAL CONSIDERATIONS**Residues from product**

Prohibition:

Do not allow the product to be released into the Environment.

Destruction/Disposal:

Dispose of in accordance with relevant local regulations

Contaminated packaging

Decontamination/cleaning:

Cleaning is not required prior to disposal.

Destruction/Disposal:

Note: Take all necessary precautions when disposing of this product according to local regulations.

SECTION 14. TRANSPORT INFORMATION**UN Number:**

None

UN Shipping Name:

None

Transport Hazard Class:

Not classified as dangerous for transport

Land (rail/road):

Material is not restrictive for land transport and is not regulated by ADR/RID

Sea:

Material is not restrictive for sea transport and is not regulated by IMO/IMDG

Air:

Material is not restrictive for air transport and is not regulated by ICAO/IATA

Marine Pollutant:

No

Transport/Additional Information:

Not regulated for US DOT Transport in non-bulk containers

This material is not dangerous or hazardous

Special Precautions for User:

None known

The above regulatory prescriptions are those valid on the date of publication of this sheet. However, given the possible evolution of transport regulations for hazardous materials and in the event of the MSDS in your possession dating back more than 12 months, it is advisable to check their validity with your sales office.

FSS Elastin Hydrolysate 25 PF DRK
Page: 8/9

Date: 09 / 18 / 2024

Version: 1

Cancels and replaces version:

SECTION 15. REGULATORY INFORMATION

Labeling:

EC regulations:

This product does not need to be labeled in accordance with EC Directives or respective national laws

Further regulations

United Kingdom:

Handle in accordance with relevant British regulation: control of substance Hazardous to Health Regulations Environmental Hygiene Guidance: EH40 Workplace Exposure Limits (revised annually)

Korea regulations:

 Industrial safety and hygiene regulation: No
 Hazardous material control regulation: No
 Fire prevention regulation: No

Other regulations:

EINECS inventory status:

 Aqua: 231-791-2
 Hydrolyzed Elastin: 293-509-4
 Leuconostoc/Radish Root Ferment Filtrate: N/A (or) 283-918-6
 Butylene Glycol: 203-529-7

TSCA inventory status:

Exempt

AICS inventory status:

Not Listed: 1686112-10-6

Listed: 7732-18-5 & 91080-18-1 & 84775-94-0 & 107-88-0

Canadian (CEPA DSL) inventory status:

 Not Listed: Leuconostoc/Radish Root Ferment Filtrate (1686112-10-6)
 Listed as Water (DSL) & Elastins, hydrolyzates (DSL) & Radish, ext. (Revised ICL) & 1,3-Butanediol (DSL)

Japan (MITI list):

Water & Hydrolyzed Elastin & Leuconostoc/Radish Root Ferment Filtrate & Butylene Glycol

Korea:

Water & Hydrolyzed Elastin & Leuconostoc/Radish Root Ferment Filtrate** & Butylene Glycol

China inventory status:

Water & Hydrolyzed Elastin & Leuconostoc/Radish Root Ferment Filtrate & Butylene Glycol

Philippines inventory status:

 Not Listed: Leuconostoc/Radish Root Ferment Filtrate (1686112-10-6 (or) 84775-94-0)
 Listed as Water & Elastins, hydrolyzates & 1,3-Butanediol

*Listed on 2010 INCI Standard Chinese Name Directory

**Not listed in 2004 CTFA Dictionary – Registered with Personal Care Products Council

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the products described in this sheet. The user's attention is drawn to the possible existence of additional provision which complete these regulations. Please refer to all applicable international, national and local regulations and provisions

FSS Elastin Hydrolysate 25 PF DRK**Page: 9/9**

Date: 09 / 18 / 2024

Version: 1

Cancels and replaces version:

SECTION 16. OTHER INFORMATION

Prohibited uses: For specific uses, food industry, ask the manufacturer for more information.

Last Revision Date: N/A

Preparation Date: 09/18/2024

MSDS summary of changes

- Updated CAS/EINEC#'s – Section 3 (Composition / Information on Ingredients) & Section 15 (Regulatory Information) & Added Lead & Cadmium & Updated Microbial Content – Section 9 (Physical & Chemical Properties)
- Updated Europe Basis for Classification & Precautionary Statement – Section 2 (Hazards Identification), Updated CAS/EINEC#'s – Section 3 (Composition / Information on Ingredients) & Section 15 (Regulatory Information) & Updated Recommended Storage Conditions – Section 7 (Handling & Storage)
- Added Acute Toxicity & Sensitization Data – Section 11 (Toxicological Information)
- Updated Recovery Methods for Cleaning up – Section 6 (Accidental Release Measures) & Added Mutagenicity Data – Section 11 (Toxicological Information)
- Added Irritation Data & Updated Acute Toxicity Data – Section 11 (Toxicological Information) & Added Ecotoxicity & Biodegradability Data – Section 12 (Ecological Information)

The information given is based on our knowledge of this product, at the time of publication in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than which it was intended. This is not in any way excuse the user from knowing and applying all the regulations governing their activity. It is sole responsibility of the user to take all precautions required in handling the product. The purpose of mandatory regulation mentioned is to help the user to fulfill his obligations regarding the use of products. This information is not exhaustive, this is not exonerate the user from ensuring that legal obligations other than those mentioned, relating to the use and storage.