

SDS v1 GHS / OSHA Type:

Revised Date: 2024-06-28

Page 1 of 9

FSS Driftwood Beach Fragrance FSSB10067

I. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: FSS Driftwood Beach Fragrance

Product/Sales No: FSSB10067

UFI#

1.2 Relevant indentified product use

Intended use: Ingredients/Raw materials used in the manufacturing of Cosmetic Products'

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: Formulator Sample Shop, LLC

135 Joshua Court

Lincolnton, NC 28092, USA

1-704-276-7540

1.4 Emergency telephone number

1-704-276-7540 (Mon-Fri: 8:00AM - 5:00PM EST)

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid
Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms

SDS v1 GHS / OSHA



Safety Data Sheet

Revised Date: 2024-06-28

FSS Driftwood Beach Fragrance FSSB10067

Page 2 of 9







Signal Word: Warning

Hazard statements

H227 Combustible liquid
H303 May be harmful if swallowed
H315 Causes skin irritation

H317 May cause an allergic skin reaction
H319 Causes serious eye irritation
H333 May be harmful if inhaled

H361 Suspected of damaging fertility or the unborn child

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P235 Keep cool

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P281 Use personal protective equipment as required

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P308 + P313 IF exposed or concerned: Get medical advice/attention

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

2.3 Other Hazards

no data available





Revised Date: 2024-06-28

Page 3 of 9

FSS Driftwood Beach Fragrance FSSB10067

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# ?Ingredient?	EC#	Conc. Range	GHS Classification				
107-41-5	203-489-0	70 - 80 %	H315; H319				
Hexylene Glycol							
104-61-0	203-219-1	5 - 10 %	H316				
gamma-No	onalactone						
54464-57-2	259-174-3	2 - 5 %	H315; H317; H401; H410				
Tetramethy	Tetramethyl Acetyloctahydronaphthalenes						
105-95-3	203-347-8	2 - 5 %	H401				
Ethylene b	Ethylene brassylate						
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411				
Hexyl cinn	amal						
5989-27-5	227-813-5	1 - 2 %	H226; H304; H315; H317; H400; H412				
Limonene							
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402				
Linalyl Ace	Linalyl Acetate						
18479-58-8	242-362-4	1 - 2 %	H227; H303; H315; H319; H336; H402				
2,6-dimeth	yloct-7-en-2-ol						
121-32-4	204-464-7	1 - 2 %	H303; H320; H402				
Ethyl Vanil	lin						
88-41-5	201-828-7	1 - 2 %	H227; H303; H316; H401; H411				
2-t-Butylcy	clohexyl acetate						
104-50-7	203-208-1	1 - 2 %	H303; H315; H402				
gamma-Od	gamma-Octalactone						
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402				
Linalool							
91-64-5	202-086-7	0.1 - 1.0 %	H302; H317; H402				
Coumarin							
4707-47-5		0.1 - 1.0 %	H317; H401				
Methyl atra							
127-51-5	204-846-3	0.1 - 1.0 %	H316; H317; H320; H401; H411				
a-Isomethy							
58567-11-6	261-332-1	0.1 - 1.0 %	H315; H317; H401; H411				
	(ethoxymethoxy)cyclododecane						
6259-76-3	228-408-6	0.1 - 1.0 %	H316; H317; H400; H410				
Hexyl salic	-						
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;				
pinene			H410				



SDS v1 GHS / OSHA

Revised Date: 2024-06-28

FSS Driftwood Beach Fragrance
FSSB10067

Page 4 of 9

CAS# ?Ingredient?	EC#	Conc. Range	GHS Classification
106-22-9 Citronellol	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401
5392-40-5 <i>Citral</i>	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401
127-91-3 beta Piner	204-872-5 ne	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
33704-61-9 <i>6,7-Dihydr</i>	251-649-3 o-1,1,2,3,3-per	0.1 - 1.0 % ntamethyl-4(5H)-	H303; H315; H317; H319; H401; H411 indanone (Cashmeran)
99-85-4 gamma-Te	202-794-6 erpinene	0.1 - 1.0 %	H226; H303; H304; H316; H361
6485-40-1 <i>I-Carvone</i>	229-352-5	0.1 - 1.0 %	H227; H303; H313; H317; H401
See Section 16	6 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 2.03

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires



SDS v1 GHS / OSHA

Revised Date: 2024-06-28

Page 5 of 9

FSS Driftwood Beach Fragrance FSSB10067

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

?Component?ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

 80-56-8
 pinene
 20

 127-91-3
 beta Pinene
 20

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.



SDS v1 GHS / OSHA

Revised Date: 2024-06-28

Page 6 of 9

FSS Driftwood Beach Fragrance FSSB10067

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard Color: Conforms to Standard

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Not determined

199 F (92.78 C)

Auto flammability:

Not determined

Not determined

Not determined

Not determined

None Expected

None Expected

Vapor Pressure (mmHg@20 C): 0.0772 **%VOC:** 2.61

Specific Gravity @ 25 C: Not determined

Density (g/mL) @ 25 C: Not determined

Refractive Index @ 20 C: Not determined

Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materialsStrong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3713.9176) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg

Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 23.9412) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met



SDS v1 GHS / OSHA

Revised Date: 2024-06-28

FSS Driftwood Beach Fragrance FSSB10067

Page 7 of 9

UN3082

Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Marine Pollutant

Environmentally Hazardous

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

54464-57-2: (2 - 5%): Tetramethyl Acetyloctahydronaphthalenes								
Regulator	Class	Pack Group	Sub Risk	UN-nr.				
U.S. DOT (Non-Bulk)	Not Regula	Not Regulated - Not Dangerous Goods						
Chemicals NOI								
ADR/RID (International Road/Rail)								
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082				
IATA (Air Cargo)								

Ш

Yes. Ingredient of greatest environmental impact :

9

Substance, Liquid, n.o.s. **IMDG (Sea)**



SDS v1 GHS / OSHA

Revised Date: 2024-06-28

FSS Driftwood Beach Fragrance FSSB10067

Ш

Page 8 of 9

Environmentally Hazardous Substance, Liquid, n.o.s.

9

UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source) 89-82-7 201-943-2 <= 4 ppm Pulegone (Natural Source)

Canadian Regulations

DSL 99.85% of the components are listed or exempt. The following

components are NOT on the List:

This product contains the following components:

111879-80-2 422-320-3 0.1 - 1.0 % Oxacyclohexadec-12-en-2-one, (12E)-

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour

H302 : Harmful if swallowed

H304 : May be fatal if swallowed and enters airways

H315 : Causes mild skin irritation

H317 : May cause an allergic skin reaction

H320 : Causes eye irritation

H336 : May cause drowsiness or dizziness

H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

(1.17) Reproductive Toxicity, Category 2

Total Fractional Values

(TFV) Risk (TFV) Risk

(208.85) Acute Toxicity Inhalation, Category 5 (22.87) Aquatic Chronic Toxicity, Category 3

(9.39) Skin Corrosion/Irritation, Category 3 (8.51) Skin Corrosion/Irritation, Category 2

(7.51) Eye Damage/Eye Irritation, Category 2A (4.60) Sensitization, Skin, Category 1B

(2.28) Aquatic Chronic Toxicity, Category 2 (2.00) Sensitization, Skin, Category 1

(2.00) Sensitization, Skin, Category 1A (1.35) Acute Toxicity Oral, Category 5



SDS v1 GHS / OSHA

Revised Date: 2024-06-28

Page 9 of 9

FSS Driftwood Beach Fragrance FSSB10067

Prohibited uses: For specific uses, food industry, ask the manufacturer for more information.

Last Revision Date: N/A

Preparation Date: 06/28/2024

MSDS summary of changes: No deletion, addition or revision to date

The information given is based on our knowledge of this product, at the time of publication in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than which it was intended. This is not in any way excuse the user from knowing and applying all the regulations governing their activity. It is sole responsibility of the user to take all precautions required in handling the product. The purpose of mandatory regulation mentioned is to help the user to fulfill his obligations regarding the use of products. This information is not exhaustive, this is not exonerate the user from ensuring that legal obligations other than those mentioned, relating to the use and storage.