

# SECTION 1. IDENTIFICATION

Product Name/Identifier Product Code	Polyacrylate Crosspolymer-6 FSSB10077	
Recommended Use Restrictions on Use	Ingredients/Raw materials used in the manufacturing of Cosmetic Products' None	
Supplier/Manufacturing Site Address	Formulator Sample Shop, LLC 135 Joshua Court Lincolnton, NC 28092, USA	
Telephone No. (24hrs)	1-704-276-7540	
Emergency Telephone #	1-704-276-7540 (Mon-Fri: 8:00AM – 5:00PM EST)	
SECTION 2. HAZARD(S) IDEI	NTIFICATION	
Classification:		
GHS / CLP Basis for Classification:	Based on present data no classification and labeling is required according to GHS, taking into account the national implementation (United Nations version 2011)	
USA OSHA Regulatory Status:	This material is non-hazardous as defined by the American OSHA Hazard Communication Standard (29 CFR 1910.1200).	
Europe Basis for Classification:	According to present data no classification and labeling is required according to Reg. (EC) No 1272/2008. This product is not classified as hazardous to health or environment according to the CLP regulation.	
Labeling Elements:		
Pictograph:	No hazard symbol expected	
Hazard statements/Signal Word:	May form combustible dust concentrations in the air.	
Precautionary statements:	P233: Keep container tightly closed P281: Use personal protective equipment as required P402: Store in a dry place P404: Store in a closed container P410: Protect from sunlight P411: Store at temperatures not exceeding 32°C	

# Other hazards which do not result in classification:

No particular fire or explosion hazard.	
By mechanical effect:	No particular hazards.
By hygroscopic effect:	No particular hazards.



135 Joshua Court, Lincolnton, NC 28092 USA

### US NFPA 704 (National Fire Protection Association) Hazard Rating System:

Health hazard: Rating 0; Normal Material Flammability: Rating 0, Will Not Burn Reactivity: Rating 0, Stable Other Hazard Information: None

### Results of PBT and vPvB assessment:

-PBT: Not applicable -vPvB: Not applicable

# SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Common Chemical Name:** 

Generic name: Polyacrylate Crosspolymer-6

**Chemical Family:** Synthetic Copolymer

Description: Mixture: consisting of the following components. This section describes all components of the mixture

<u>Substance</u> Polyacrylate Crosspolymer-6 2-methylpropan-2-ol		<u>CAS Numbers</u> N/A N/A	<u>EC Numbers</u> N/A N/A	<u>Percentage</u> 80 – 100% 1 – 5%
Formula:	Not applicable			
SECTION 4. FIRST-AID MEAS	URES			
General:	In all cases of	doubt, or when sympto	ms persist, seek mee	dical attention.
Inhalation:	Move to fresh breathing diff	n air from exposure area Ficulty.	. Get medical attent	tion for any
Skin contact:	Rinse with so	ap and water.  Get medi	cal advice if irritation	n develops.
Eye contact:		rinse with plenty of wate yes wide open. Consult		utes, while
Ingestion:	keep at rest in and the exposed the exposed p unless directe kept low so th health effects person. If unc	n a position comfortable sed person is conscious, person feels sick as vomi ed to do so by medical pen nat vomit does not enter persist or are severe. N conscious, place in recov Maintain an open airwa	for breathing. If ma give small quantities ting may be dangerd ersonnel. If vomiting the lungs. Get med ever give anything b ery position and get	y mouth to an unconscious
Protection of first-aiders:	No special pro	otection required.		



# SECTION 5. FIRE-FIGHTING MEASURES

Fire and explosion hazards:	Not considered to be a fire and explosion hazard
Extinguishing media:	
Suitable:	Dry chemical powder
Not suitable:	Avoid high pressure media which could cause the formation of potentially explosible dust-air mixture
Fire fighting:	Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low area
Protection for fire-fighters:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Avoid contact with eyes.
	Personal Protective Equipment: -Protective goggles
Environmental precautions:	Prevent entry into sewers and waterways. Do not allow material to contaminate ground water system
Methods for cleaning up:	
Recovery:	Pick up free liquid for recycling or disposal. Residual liquid can be absorbed on an inert material. Sweep or vacuum up any powder and place in a clearly labeled waste container, avoiding dust formation.
Cleaning/Decontamination:	Wash non-recoverable remainder with water.
Disposal:	For disposal of residues refer to sections 8 & 13.

# SECTION 7. HANDLING AND STORAGE

Handling Technical measures: Measures: Safe handling advice:	Labeling: Keep out of the reach of children. For industrial use, only as directed. Wash hands after use. Avoid storage near feed or food stuff.
<b>Storage</b> Technical measures: Recommended Storage Conditions:	Keep container closed. Store in a dry place at temperatures not exceeding 32°C. Based on stability studies, the optimum storage temperature for maximization of shelf life is 23 - 25°C. However, it may be stored at temperatures between 16 and 32°C if such specific temperature control is not available. Do not freeze. Please refer to stability data for effects heat or cold may have on the specifications of the product.
Incompatible products:	Avoid contact with strong oxidizers. Refer to the detailed list of incompatible materials (Section 10 Stability/Reactivity)



Packaging:	Product may be packaged in normal commercial packaging.
Packaging materials:	Recommended - Polypropylene & High Density Polyethylene

# SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Precautionary statements:

Ensure adequate ventilation

### **Control parameters**

Occupational exposure Limits:

Ingredient name	Exposure limits
Polyacrylate crosspolymer-6	None.
2-methylpropan-2-ol	OSHA PEL 1989 (United States, 3/1989). TWA: 100 ppm 8 hours. TWA: 300 mg/m³ 8 hours. STEL: 150 ppm 15 minutes. STEL: 450 mg/m³ 15 minutes. ACGIH TLV (United States, 4/2014). TWA: 100 ppm 8 hours. TWA: 303 mg/m³ 8 hours. NIOSH REL (United States, 10/2013). TWA: 100 ppm 10 hours. TWA: 300 mg/m³ 10 hours. STEL: 150 ppm 15 minutes. STEL: 450 mg/m³ 15 minutes. OSHA PEL (United States, 2/2013). TWA: 100 ppm 8 hours. TWA: 300 mg/m³ 8 hours.

France: ACGIH: Korea: UK:	Not Determined Not Determined Not Determined Not Determined
Surveillance procedures: Engineering measures:	Not Determined Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
Personal Protective Equipment:	
Respiratory protection:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: Ensure an MSHA/NIOSH-approved respirator or equivalent is used. (APF 10).
Hand protection:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.



Eye protection:	Safety eyewear complying with an approved standard should be used when a risk
	assessment indicates this is necessary to avoid exposure to liquid splashes, mists,
	gases or dusts. If contact is possible, the following protection should be worn, unless
	the assessment indicates a higher degree of protection: safety glasses with sideshields.
	If operating conditions cause high dust concentrations to be produced, use
	dust goggles.
Collective emergency equipment:	Eye fountain.
Skin and Body Protection:	Suitable protective clothing
Hygiene measures:	Handle in accordance with good industrial hygiene and safety practice.

Measures related to the Environment: No particular measures.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Color:	Free Flowing Powder White to off-white
Odor:	Characteristic
pH (2% Solution):	3.0 - 6.0
Solid Content:	90.00 - 100.00
Microbial Content: Yeast & Mold: Gram Negative Bacteria:	< 100 CFU/g; No pathogens < 100 CFU/g 0 CFU/g
Specific Gravity:	Not determined
Vapor density: Boiling Point: Freezing Point: Melting point:	Not applicable Not determined Not determined Not applicable
<b>Flash point:</b> Oxidizing properties:	Not determined Non oxidizing material according to EC criteria.
Solubility:	
In water:	Soluble
In organic solvents:	Not determined
Log P:	Not determined

# SECTION 10. STABILITY AND REACTIVITY

Stability:	Stable under ordinary conditions of use and storage up to one year then re-test to full product specifications to extend shelf life
Hazardous reactions:	None known
Conditions to avoid:	Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.



135 Joshua Court, Lincolnton, NC 28092 USA

Materials to avoid:	Reactive or incompatible with oxidizing materials.	
Hazardous decomposition products:	None known	
SECTION 11. TOXICOLOGICAL INFORMATION		
Ingestion:	Not Determined	
Dermal:	Not Determined	
Ocular:	Not Determined	
Inhalation:	Not Determined	
Acute toxicity data:	Not Determined	
Sensitization:	Non-Primary Sensitizers	
Repeated dose toxicity:	No known effects	
Subacute to chronic toxicity:	Not Determined	
Additional Toxicological Information:	This product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.	
Specific effects:		
Carcinogenicity:	No known effects	
Mutagenicity:	No known effects	
Reproductive toxicity:	No known effects	
Neuro-toxicity:	No known effects	
For more information:	Does not present any particular risk on handling under normal conditions of good occupational hygiene practice.	
This product has not been tested for the following: -Primary cutaneous and corrosive irritation		

-Acute oral toxicity

-Mutagenicity/genotoxicity

# SECTION 12. ECOLOGICAL INFORMATION

# Ecotoxicity<br/>Effects on the aquatic environment:Not DeterminedBiodegradability:<br/>Persistence:Not DeterminedBioaccumulation:<br/>Octanol / water partition coefficient:Not DeterminedMobility:<br/>Precipitation:<br/>Expected behavior of the product:Ultimate destination of the product: Soil & sediment.Other Adverse Effects:None known



135 Joshua Court, Lincolnton, NC 28092 USA

# SECTION 13. DISPOSAL CONSIDERATIONS

### Residues from product

Destruction/Disposal:

Prohibition: Destruction/Disposal:	Do not allow the product to be released into the Environment. Dispose of in accordance with relevant local regulations	
Contaminated packaging		
Decontamination/cleaning:	Cleaning is not required prior to disposal.	

Note: Take all necessary precautions when disposing of this product according to local regulations.

# SECTION 14. TRANSPORT INFORMATION

UN Number: UN Shipping Name: Transport Hazard Class:	None None Not classified as dangerous for transport
Land (rail/road): Sea: Air:	Material is not restrictive for land transport and is not regulated by ADR/RID Material is not restrictive for sea transport and is not regulated by IMO/IMDG Material is not restrictive for air transport and is not regulated by ICAO/IATA
Marine Pollutant:	No
Transport/Additional Information:	Not regulated for US DOT Transport in non-bulk containers This material is not dangerous or hazardous
Special Precautions for User:	None known

The above regulatory prescriptions are those valid on the date of publication of this sheet. However, given the possible evolution of transport regulations for hazardous materials and in the event of the MSDS in your possession dating back more than 12 months, it is advisable to check their validity with your sales office.

# SECTION 15. REGULATORY INFORMATION

<b>Labeling:</b> EC regulations:	This product does not need to be labeled Directives or respective national laws	in accordance with EC
Further regulations		
United Kingdom:	Handle in accordance with relevant Britisl substance Hazardous to Health Regulatio Hygiene Guidance: EH40 Workplace Exposure Limits (revised annu	ns Environmental
Korea regulations:	Industrial safety and hygiene regulation: Hazardous material control regulation: Fire prevention regulation:	No No No



135 Joshua Court, Lincolnton, NC 28092 USA

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the products described in this sheet. The user's attention is drawn to the possible existence of additional provision which complete these regulations. Please refer to all applicable international, national and local regulations and provisions

# SECTION 16. OTHER INFORMATION

Prohibited uses:	For specific uses, food industry, ask the manufacturer for more information.
Last Revision Date:	N/A
Preparation Date:	7/2/2024
MSDS summary of changes	No deletion, addition or revision to date

The information given is based on our knowledge of this product, at the time of publication in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than which it was intended. This is not in any way excuse the user from knowing and applying all the regulations governing their activity. It is sole responsibility of the user to take all precautions required in handling the product. The purpose of mandatory regulation mentioned is to help the user to fulfill his obligations regarding the use of products. This information is not exhaustive, this is not exonerate the user from ensuring that legal obligations other than those mentioned, relating to the use and storage.