

135 Joshua Court, Lincolnton, NC 28092 USA

Optiphen Page: 1/11

Date: 04 / 14 / 2021 Version: 2 Cancels and replaces version: 1

SECTION 1. IDENTIFICATION

Product Name/Identifier Optiphen Product Code FSSB22039

Recommended Use Ingredients/Raw materials used in the manufacturing of Cosmetic Products'

Restrictions on UseRefer to the detailed list of labeling/restrictions (Section 15 Regulatory Information)

Supplier Site Formulator Sample Shop

Address 135 Joshua Court

Lincolnton, NC 28092, USA

Telephone No. (24hrs) 1-704-276-7540

For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC: +1 703-741-5970 (or) 1-800-424-9300

SECTION 2. HAZARD(S) IDENTIFICATION

GHS Classification:

Eye Irritation: Category 2A

GHS Labeling Elements:

Pictogram:



Hazard statements/Signal Word: H302: WARNING: Harmful if swallowed

H319: WARNING: Causes serious eye irritation

Precautionary statements:

Prevention: P233: Keep container tightly closed

P264: Wash skin thoroughly after handling

P280: Wear protective gloves/protective clothing/eye protection/face protection

Response: P305 + P338 + P351: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313: If eye irritation persists: Get medical advice/attention

Disposal: P501: Dispose of contents/container in accordance with local regulations.

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind. expressed or implied. other than that the material conforms to the applicable standard specification.

Page 1 of 11 Version 2/ 11.20.23



135 Joshua Court, Lincolnton, NC 28092 USA

Optiphen Page: 2/11

Date: 04 / 14 / 2021 Version: 2 Cancels and replaces version: 1

US NFPA 704 (National Fire Protection Association) Hazard Rating System:

Health hazard: Rating 2; Temporary or minor injury may occur

Flammability: Rating 1; Material must be preheated before ignition will occur

Reactivity: Rating 0; Stable Other Hazard Information: None

Other hazards: None known

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Common Chemical Name: Phenoxyethanol & Caprylyl Glycol

Chemical Family: Mixture

Description: Mixture: consisting of the following components. This section describes all components of the mixture

Hazardous Components	CAS Numbers	EC Numbers	<u>Percentage</u>	<u>Classification</u>
Phenoxyethanol	122-99-6	204-589-7	55.60%	Acute Tox. 4; H302 Eye Irrit. 2A; H319
Caprylyl Glycol	1117-86-8	214-254-7	44.60%	Eye Irrit. 2A; H319

SECTION 4. FIRST-AID MEASURES

General: In all cases of doubt, or when symptoms persist, seek medical attention.

Move to fresh air from exposure area. Show this Safety Data Sheet to the

doctor in attendance. Do not leave victim unattended.

Inhalation: Move to fresh air from exposure area. If unconscious, place in a recovery

position and seek medical advice. If symptoms persist, call a physician.

Skin contact: First aid is not normally required. However, it is recommended that exposed

areas be cleaned by washing with soap and water. Wash contaminated

clothing before re-use.

Eye contact: Immediately rinse with plenty of water. Remove contact lenses. Protect

unharmed eye.

Ingestion: Do not give milk or alcoholic beverages. Never give anything by mouth to an

unconscious person. If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed:

effects, both acute and delayed: Signs and symptoms of exposure to this material through breathing,

swallowing, and/or passage of the material through the skin may include: Stomach or intestinal upset (nausea, vomiting, diarrhea), Irritation (nose, throat, airways), Pain in the abdomen and lower back, Acute kidney failure (sudden slowing or

stopping of urine production). Causes serious eye irritation.

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind. expressed or implied. other than that the material conforms to the applicable standard specification.

Page 2 of 11 Version 2/ 11.20.23



135 Joshua Court, Lincolnton, NC 28092 USA

Optiphen Page: 3/11

Date: 04 / 14 / 2021 Version: 2 Cancels and replaces version: 1

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media:

Suitable: Water spray, foam, dry chemicals, carbon dioxide

Not suitable: High volume water jet

Fire fighting: Product is compatible with standard fire-fighting agents.

> If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than aid and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release. Do not allow run-off fir fighting to enter

drains or water courses

Hazardous combustion products: Carbon dioxide, carbon monoxide

Protection for fire-fighters: Boots, gloves, goggles and self-contained breathing apparatus

Further information: Fire residues and contaminated fire extinguishing water must be disposed of

in accordance with local regulations.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Avoid contact with skin and eyes.

> Wear Personal Protective Equipment: - Protective glasses with side-shields

- Protective gloves

- Suitable protective clothing

Environmental precautions: Prevent entry into sewers and waterways. Do not allow material to contaminate

ground water system. Prevent further leakage or spillage if safe to do so. If the

product contaminates rivers, lakes or drains inform respective authorities.

Methods for cleaning up:

Recovery: Contain spillage, absorb with non-combustible absorbent material and

> transfer to a container for disposal according to local/national regulations. Keep in suitable, closed containers for disposal. Persons not wearing

protective equipment should be excluded from area of spill until clean-up has

been completed.

Cleaning/Decontamination: Material can create slippery conditions.

For disposal of residues refer to sections 8 & 13. Disposal:

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification

Page 3 of 11 Version 2/ 11.20.23



135 Joshua Court, Lincolnton, NC 28092 USA

Optiphen Page: 4/11

Date: 04 / 14 / 2021 Version: 2 Cancels and replaces version: 1

SECTION 7. HANDLING AND STORAGE

Handling

Technical measures: Labeling: Keep out of the reach of children. Avoid contact with skin and eyes.

Measures: Avoid dust formation. Do not breathe vapours/dust.

Safe handling advice: Wash hands carefully after use. Avoid storage near feed or food stuff. Smoking,

eating and drinking should be prohibited in the application area. Container is hazardous when empty. Dispose of rinse water in accordance with local and

national regulations.

Storage

Technical measures: Keep container tightly closed in a well-ventilated place. Recommended

storage temperature is 59 - 77°F / 15 - 25°C. Protect from frost.

Containers which are opened must be carefully resealed and kept upright to prevent

leakage. No smoking.

Incompatible materials: Strong acids, bases & oxidizing agents. Refer to the detailed list of incompatible

materials (Section 10 Stability/Reactivity)

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Precautionary statements: Provide adequate exhaust ventilation at place where dust is formed.

Control parameters

Components with workplace occupational exposure limits:

None

Hazardous components without workplace control parameters:

Ingredient	CAS Number
Phenoxyethanol	122-99-6
Caprylyl Glycol	1117-86-8

Engineering measures: Provide sufficient mechanical (general and/or local exhaust) ventilation to

maintain exposure below exposure guidelines (if applicable) or below levels

that cause known, suspected or apparent adverse effects.

Personal Protective Equipment:

Respiratory protection: In the case of dust or aerosol formation use respirator with an approved filter within

the capabilities of the respirator/filter combination. Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate,

wear a positive-pressure supplied-air respirator.

Hand protection: Protective gloves (Butyl-rubber break through time 480 min; Thickness > 0.5 mm)

Eye protection: Wear chemical splash goggles when there is the potential for exposure of the

eyes to liquid, vapor or mist.

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.

Page 4 of 11 Version 2/ 11.20.23



135 Joshua Court, Lincolnton, NC 28092 USA

Optiphen Page: 5/11

Date: 04 / 14 / 2021 Version: 2 Cancels and replaces version: 1

Personal Protective Equipment (Continued):

Collective emergency equipment: Eye fountain

Skin and Body Protection: Wear as appropriate: Safety shoes, dust impervious protective suit. Choose

body protection according to the amount and concentration of the dangerous substance at the work place. Discard globes that show tears, pinholes, or signs of wear. Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures: Wash hands before breaks and at the end of the workday. When using do

not eat, drink or smoke. Handle in accordance with good industrial hygiene

and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:Clear to Slightly Hazy LiquidColor:Colorless to Pale Yellow

Odor: Characteristic Specific Gravity: 1.014-1.024

Microbial Content: <100 CFU/g; No Pathagens

pH: Not determined

Vapor Pressure:Not determinedVapor Density:Not determined

Density (25°C): 1.0126 – 1.0217 g/cm³

Relative Vapour Density: Not determined

Boiling Point:Melting point:
Not determined
Not determined

Flash point: 127.2 – 127.8°C

Evaporation rate: Not determined

Solubility:

In water:
In organic solvents:
Not determined
Not determined
Not determined

SECTION 10. STABILITY AND REACTIVITY

Reactivity: No decomposition if stored and applied as directed.

Stability: Stable under recommended storage conditions.

Hazardous reactions: Product will not undergo hazardous polymerization.

Conditions to avoid: Keep away from excessive heat. Do not allow evaporation to dryness.

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.

Page 5 of 11 Version 2/ 11,20,23



135 Joshua Court, Lincolnton, NC 28092 USA

Optiphen Page: 6/11

Date: 04 / 14 / 2021 Version: 2 Cancels and replaces version: 1

Materials to avoid: Strong acids, bases and oxidizing agents.

Hazardous decomposition products: Carbon dioxide & carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Toxicity: Not classified based on available information

Skin Corrosion/Irritation: Not classified based on available information

REMARK: May cause skin irritation in susceptible persons.

Serious Eye Damage/Eye Irritation: Causes serious eye irritation

REMARK: Vapors may cause irritation to the eyes, respiratory system and

skin. Causes serious eye irritation.

Respiratory or Skin Sensitization: Skin sensitization: Not classified based on available information

Respiratory sensitization: Not classified based on available information

Germ Cell Mutagenicity:

Carcinogenicity:

Not classified based on available information Not classified based on available information

Reproductive Toxicity: Not classified based on available information

STOT- Single Exposure:Not classified based on available information
Not classified based on available information

Aspiration Toxicity: Not classified based on available information

Carcinogenicity:

IARC: No component of this product is present at levels greater than or equal to

0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product is present at levels greater than or equal to

0.1% is on OSHA's list of regulated carcinogens.

NTP:No component of this product is present at levels greater than or equal to

0.1% is identified as a known or anticipated carcinogen by NTP.

The following ecotoxicological data refer to:

Phenoxyethanol:

Acute Toxicity:

Acute Oral Toxicity: > 1,840 mg/kg

LD₅₀ (Rat, OECD Test Guideline 401)

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind. expressed or implied. other than that the material conforms to the applicable standard specification.

Page 6 of 11 Version 2/ 11.20.23



135 Joshua Court, Lincolnton, NC 28092 USA

Optiphen Page: 7/11

Date: 04 / 14 / 2021 Version: 2 Cancels and replaces version: 1

Acute Inhalation Toxicity: No adverse effect has been observed in acute inhalation toxicity tests.

Acute Dermal Toxicity: > 14,391 mg/kg LD₅₀ (Rat)

Skin Corrosion/Irritation: Non-Irritant (Rabbit)

Serious Eye Damage/Eye Irritation: Irritant (Rabbit)

Respiratory or Skin Sensitization: Non-sensitizing (Guinea pig, OECD Test Guideline 406)

Germ Cell Mutagencity:

Genotoxicity in vitro: Non-Mutagenic (Salmonella typhimurium, AMES)

Reproductive Toxicity:

Effects on Foetal Development: 300 mg/kg bw/day (Rat, oral, OPPTS 870.3700)

Repeated Dose Toxicity: NOAEL: 369 mg/kg (Rat, oral, OECD Test Guideline 408)

NOAEL: 500 mg/kg (Rabbit, dermal)

The following ecotoxicological data refer to:

Caprylyl Glycol:

Acute Toxicity:

Acute Oral Toxicity: > 2,000 mg/kg (LD₅₀, Rat, OECD Test Guideline 401)

Assessment: No adverse effect has been observed in acute oral toxicity tests

Acute Inhalation Toxicity: > 7.015 mg/l

LC₅₀ (4hr, dust/mist, OECD Test Guideline 403)

Remark: Information given is based on data obtained from similar substances

Skin Corrosion/Irritation: Non-Irritant (Rabbit)

Serious Eye Damage/Eye Irritation: Irritant

Respiratory or Skin Sensitization: Non-sensitizing (Mouse, OECD Test Guideline 429)

Germ Cell Mutagencity:

Genotoxicity in vitro: Non-Mutagenic (AMES, OECD Test Guideline 476)

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.

Page 7 of 11 Version 2/ 11.20.23



135 Joshua Court, Lincolnton, NC 28092 USA

Optiphen Page: 8/11

Date: 04 / 14 / 2021 Version: 2 Cancels and replaces version: 1

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicology Assessment Short-term (acute) aquatic hazard: Acute aquatic toxicity Category 2 - Toxic to aquatic life

Long-term (chronic) aquatic hazard: Not classified based on available information

Bioaccumulative Potential: Not determined

Mobility in Soil: Not determined

The following ecotoxicological data refer to:

Phenoxyethanol:

Exotoxicity:

Toxicity to fish: 337 – 352 mg/l

LC₅₀ (Pimephales promelas (fathead minnow, 96h, flow-through test)

Toxicity to Daphnia and Other

Aquatic Invertebrates: > 500 mg/l

EC₅₀ (Daphnia magna (Water flea), 48h, OECD Test Guideline 202)

Toxicity to algae: > 500 mg/l

NOEC (Desmodesmus subspicatus (green algae), 72h, static test)

Toxicity to fish (chronic): 23 mg/l

NOEC (Pimephales promelas (fathead minnow, 34d, flow-through test)

Toxicity to Daphnia and Other

Aquatic Invertebrates (chronic): 9.43 mg/l

NOEC (Daphnia magna (Water flea), 21d, OECD Test Guideline 211)

Persistence & Degradability:

Biodegradability: Readily biodegradable – 99% biodegradation

28d, OECD Test Guideline 301F

Partition coefficient: n-octanol/water: log Pow: 1.16

Results of PBT and vPvB assessment: This substance is not considered to be persistent, bioaccumulating

and toxic (PBT).

This substance is not considered to be very persistent and very

bioaccumulating (vPvB).

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.

Page 8 of 11 Version 2/ 11.20.23



135 Joshua Court, Lincolnton, NC 28092 USA

Optiphen Page: 9/11

Date: 04 / 14 / 2021 Version: 2 Cancels and replaces version: 1

The following ecotoxicological data refer to:

Caprylyl Glycol:

Exotoxicity:

Toxicity to fish: > 2.2 - < 22.2 mg/l

LC₅₀ (Danio ririo (zebra fish), 96h, static test)

Toxicity to Daphnia and Other

Aquatic Invertebrates: 176 mg/l

EC₅₀ (Daphnia magna (Water flea), 48h, OECD Test Guideline 202)

Toxicity to algae: 35 mg/l

EC₅₀ (Pseudokirchneriella subcapitata (green algae), 72h, OECD Test Guideline 201)

Persistence & Degradability:

Biodegradability: Readily Biodegradable - 75% biodegradation

28d, OECD Test Guideline 301D

Partition coefficient: n-octanol/water: log Pow: 1.0

SECTION 13. DISPOSAL CONSIDERATIONS

Residues from product

Prohibition: Do not allow the product to be released into the Environment. Do not

contaminate ponds, waterways or ditches with chemical or used container.

Destruction/Disposal: Contact waste disposal services. Dispose of in accordance with all relevant

local, state and federal regulations.

Contaminated packaging

Decontamination/cleaning: Empty remaining contents. Dispose of contents as unused product. Empty

containers should be taken to an approved waste handling site for recycling

or disposal.

Destruction/Disposal: Do not re-use empty containers.

Note: Take all necessary precautions when disposing of this product according to local regulations.

SECTION 14. TRANSPORT INFORMATION

UN Number: None UN Shipping Name: None

Land (rail/road): Material is not restrictive for land transport and is not regulated by ADR/RID

Sea: Material is not restrictive for sea transport and is not regulated by IMO/IMDG

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind. expressed or implied. other than that the material conforms to the applicable standard specification.

Page 9 of 11 Version 2/ 11.20.23



135 Joshua Court, Lincolnton, NC 28092 USA

Optiphen Page: 10/11

Date: 04 / 14 / 2021 Version: 2 Cancels and replaces version: 1

Air: Material is not restrictive for air transport and is not regulated by ICAO/IATA

Marine Pollutant: No

Transport/Additional Information: Not regulated for US DOT Transport in non-bulk containers

This material is not dangerous or hazardous

Special Precautions for User: None known

The above regulatory prescriptions are those valid on the date of publication of this sheet. However, given the possible evolution of transport regulations for hazardous materials and in the event of the MSDS in your possession dating back more than 12 months, it is advisable to check their validity with your sales office.

SECTION 15. REGULATORY INFORMATION

Federal Regulations:

US EPA EPCRA (Emergency Planning and Community Right-to-Know Act:

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4):

This material does not contain any components with a CERCLA RQ

SARA 302:

This material does not contain any components with a section 302 EHS TPQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity:

This material does not contain any components with a section 304 EHS RQ.

SARA Hazard Designation Sections 311/312 (40 CFR 370):

Serious eye damage or eye irritation

Section 313 Toxic Chemicals (40 CFR 372.65):

The following components are subject to reporting levels established by SARA Title III, Section 313:

Ingredient	CAS Number	%
Phenoxyethanol	122-99-6	55.60%

US State Regulations:

Pennsylvania Right to Know:

Components	CAS Number
Phenoxyethanol	122-99-6
Carpylyl Glycol	1117-86-8

New Jersey Right to Know:

Components	CAS Number
Phenoxyethanol	122-99-6

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.

Page 10 of 11 Version 2/ 11.20.23



135 Joshua Court, Lincolnton, NC 28092 USA

Optiphen Page: 11/11

Date: 04 / 14 / 2021 Version: 2 Cancels and replaces version: 1

Carpylyl Glycol 1117-86-8

Other regulations:

EINECS inventory status: Phenoxyethanol: 204-589-7 Caprylyl Glycol: 214-254-7

TSCA inventory status: Exempt

AICS inventory status: 122-99-6 & 1117-86-8

Canadian (CEPA DSL) inventory status: Listed as Ethanol, 2-phenoxy- (DSL) & Octane-1,2-diol (DSL)

Japan (MITI list):

Korea:

China inventory status:

Phenoxyethanol & Caprylyl Glycol
Not Listed: Caprylyl Glycol (1117-86-8)

Listed as: Ethanol, 2-phenoxy-

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the products described in this sheet. The user's attention is drawn to the possible existence of additional provision which complete these regulations. Please refer to all applicable international, national and local regulations and provisions

SECTION 16. OTHER INFORMATION

Prohibited uses: For specific uses, food industry, ask the manufacturer for more information.

Last Revision Date: N/A

Preparation Date: 04/14/2021

MSDS summary of changes No deletion, addition or revision to date

The information given is based on our knowledge of this product, at the time of publication in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than which it was intended. This is not in any way excuse the user from knowing and applying all the regulations governing their activity. It is sole responsibility of the user to take all precautions required in handling the product. The purpose of mandatory regulation mentioned is to help the user to fulfill his obligations regarding the use of products. This information is not exhaustive, this is not exonerate the user from ensuring that legal obligations other than those mentioned, relating to the use and storage.

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.

Page 11 of 11 Version 2/ 11.20.23